Directions for Use

Use under medical supervision. Daily intake to be determined by your healthcare professional specialized in mitochondrial disorders. Each 10 mL serving contains 80 mg of available Ubiquinol.

- Using the dosing spoon provided or a syringe, measure the amount of Cyto-Q t/f liquid required to meet your serving requirements.
- Add the measured liquid to formula or syringe directly as a bolus. All or part of serving can also be taken by mouth.

Warning

Not for parental use. Not for use as a sole source of nutrition. Only for individuals with Mitochondrial Cytopathies or inborn errors of metabolism. Cyto-Q must be consumed directly after dispensing into tube feeding formula. Discard any left over formula. Use under medical supervision.

Storage

All bottles (opened or unopened) should be kept in a cool, dry place (not in refrigerator). Reseal opened bottles and use within 3 months.

Distributed by

Solace Nutrition, LLC Pawcatuck, CT 06379 Tel: 888-8-SOLACE Mon-Fri 9:00-4:00PM ET







Medical Food

A medical food for use in the dietary management of Mitochondrial Cytopathies. Not for the general population of consumers.

An unflavored, liposomal ubiquinol solution for enhanced absorption.

Allergen test at No Detectable Limit (NDL) for egg, milk, fish, crustacean, soy, gluten, corn, tree nuts and peanut. Tested GMO-free.

Net: 340 mL Contains two 170 mL bottles = 2,720 mg Ubiquinol

Nutrition Information		
Nutrients		per 1 mL
Calories	kcal	0.1
Carbohydrate	g	0
Protein	g	0
Fat	g	0.01
Trans	g	0
Vitamins		
Vitamin E, IU (mg □-T.E.)		0.08 (0.05)
Vitamin C, mg		6
Other		
Ubiquinol	mg	8

Cyto-Q t/f's only active ingredient is Ubiquinol.

Ingredients

Purified Water, Ubiquinol, Ascorbic Acid, Medium Chain Triglycerides, non-GMO Soy Lecithin, Polysorbate 80, Ascorbyl Palmitate, Citric Acid, Potassium Sorbate, Alpha Tocopherol.

Protected by US patents 6,740,338 & 6,455,072 Cyto-Q is a trademark of Solace Nutrition





Rev. 20190114