

Directions of Use: NeoKe™ BCAA4 is soluble in formula and can be consumed either orally or via tube feeding. The daily intake of NeoKe BCAA4 powder is to be determined by your physician or dietitian.

Oral Feeding

1. Measure (using the scoop provided or a gram scale) the recommended amount of NeoKe BCAA4 powder.
2. Consume powder by either sprinkling on food or into liquids, or taking directly by mouth followed with water.
3. For tube feeding, add powder in single scoop increments to the formula (room temperature or cold) and stir well. Stir or agitate tube feeding mixture if NeoKe BCAA4 separates from formula during feeding. NeoKe BCAA4 powder and formula mixture should be used within 4 hours.

Warning: Not for parental use. Not for use as a sole source of nutrition. Only for individuals with Cachexia and conditions managed by the Ketogenic Diet. Contains soy. **Use under medical supervision.**

Storage: Unopened bottles should be kept in a cool, dry place. Reseal unopened bottles, stores in a refrigerator and use within three months.

Contact Solace Nutrition, LLC
888-8-SOLACE
Mon-Fri 9:00-4:00PM ET
www.solacenutrition.com



DOUBLE STRENGTH LEUCINE BCAA POWDER

Medical Food

A Medical Food for use in the dietary management of Cachexia and conditions managed by the Ketogenic Diet. Not for the general population of consumers.

A soluble Branch Chain Amino Acid (BCAA) powder in the ratio of 4:1:1 for L-leucine to L-isoleucine to L-valine.

Allergen-free of egg, wheat, fish, shellfish, walnut, almond and peanut. Contains soya lecithin.

Expiration/Lot #
See bottom of bottle

Net Weight: 300 g

Nutrition Information

Nutrients	per 100 g powder	
Energy	kcal	328
Protein	g	82
Fat	g	0
Trans fat	g	0
Carbohydrate	g	0
BCAA	g	100

One level scoop = 6g BCAA powder
Powder is 4:1:1 ratio for L-leucine to L-isoleucine to L-valine

Ingredients:

L-leucine, L-Isoleucine, L-valine, Lecithin

Distributed by:

Solace Nutrition, LLC
Tel: 888-8-SOLACE

